



Polymers


**Aromatic &
Chemicals**

 Fuel & Feeds
Stock

1,2 DI CHLORO ETHANE (E.D.C)

Property	Units	Test Method	Value
Purity	Wt%	G.C	99.97 min
Density @ (15.6 °C)	gr/cm3	ASTM D-4052	To Be Reported
Lo-Boil	Wt.ppm	G.C	170 max
Hi-Boil	Wt.ppm	G.C	130 max
Acidity (As HCL)	Wt.ppm	T.S.K JAPAN*	1 max
Iron	Wt.ppm	ASTM D-2790	0.2 max
Water Content	Wt.ppm	ASTM D-1744	50 max
Free Chlorine	Wt.ppm	T.S.K JAPAN*	Nil
Color , pt-Co Scale	--	ASTM D-1209	No.5 max

APPLICATION

VCM, Paint & solvent

*T.S.K = TOYO STANDARD COMPANY